



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV 21 2000

Robert Breece, O.D.
BioMed Devices Corporation
1325 Progress Drive
Front Royal, VA 22630

Re: K003079
Trade Name: Specialty Tint Soft Contact Lens
Regulatory Class: II
Product Code: LPL
Dated: October 2, 2000
Received: October 3, 2000

Dear Dr. Breece:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Robert Breece, O.D.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-6413. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in dark ink, appearing to read "A. Ralph Rosenthal". The signature is fluid and cursive, with the first name "A." and last name "Rosenthal" clearly distinguishable.

A. Ralph Rosenthal, M.D.
Director
Division of Ophthalmic and Ear,
Nose and Throat Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

"Statement of Indications for Use"

Device Name: Specialty Tint Soft Contact Lens

INDICATIONS FOR USE:

The Specialty Tint Soft Contact Lens is indicated for daily wear to enhance and/or alter the apparent eye color.

Except for decreased light transmittance due to the tint intensity, the pre-tinted lens optical parameters remain the same as originally prescribed for the user prior to tinting. The lens may be disinfected using a chemical disinfection system only.

(Please Do Not Write Below This Line - Continue On Another Page If Needed)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use X or Over-the-Counter Use

Donald W.C. Brown, Ph.D.
(Division Sign-Off)
Division of Ophthalmic Devices
510(k) Number K003079

